



EB5550 APPROVED
KAHR-LON®
Liner System

KAHR-LON® K-SEA liner is an engineered composite self-lubricating liner system that provides longer life and low friction for underwater bearing applications. KAHR-LON® K-SEA liner is proven to meet the industries increasing demands and passed all performance requirements of General Dynamics Electric Boat specification EB5550, and the US Navy's underwater cathodic disbondment testing.

PROGRAMS:

- Columbia Class Submarine • Virginia Class Submarine • Off Shore Oil Rigs • Off Shore Power Generation • Human-Occupied Vehicles (HOV)
- Remotely Operated Vehicles (ROV) • Autonomous Underwater Vehicles (AUV) • Maritime Vessels

KAHR-LON® K-SEA SUBMERGIBLE LINER SYSTEM:

- Passed cathodic disbondment testing independently performed by the Naval Research Laboratory
- Qualified to Electric Boat's EB5550 Qualification
- Low speed, high load performance
- Superior bond strength
- Saltwater/freshwater

CAPABILITIES:

- New Production • Line-Only



RBC Bearings® has been producing bearings in the USA since 1919. In addition to unique custom bearings, RBC Bearings® offers a full line of standard industrial and aerospace bearings, including:



Spherical Bearings

- MS approved to AS81820 (formerly MIL-B-81820)
- Self-lubricating • Metal-to-Metal
- Loader slots • High temperature
- Low coefficient of friction
- Special configurations and materials



Thin Section Ball Bearings

- Standard cross sections to one inch
- Stainless steel and other materials are available
- Sizes to 40"
- Seals available on all sizes and standard cross sections
- Super duplex configurations



Journal Bearings

- MS approved to AS81934 (formerly MIL-B-81934)
- Plain and flanged • Self-lubricating
- High temperature • High loads
- Available in inch and metric sizes



Airframe Control Ball Bearings

- MS approved to AS7949 (formerly MIL-B-7949)
- Single and double row
- Radial, self-aligning, and pulley series
- 52100 Cad plated and 440C stainless
- Zinc Nickel plated



Ball Bearing Rod Ends

- MS approved to AS6039 (formerly MIL-B-6039)
- Various shank configurations
- Low coefficient of friction
- Advanced AeroCres® materials available



Rings and Seals

- Solutions for any pneumatic and hydraulic applications
- Seals from .5" to 55" diameter
- Cast Iron to Rene 41
- Precision machined & wire rings to tight tolerances



Specialty Fasteners

- Hollow Bolts, Fuse Pins, Solid Bolts (Standards), Custom Machined Parts & Nuts
- Hot Headed, Thread Rolled, HVOF Coated
- Large Diameter over 3/4"



Hydraulic Actuators

- 2-Position Fluid Hydraulic
- Auto or Manual Mechanical Locking
- Lock Sensing/Position Sensing
- Flow/Directional Control Valves; Solenoid/Manual



Rod End Bearings

- MS approved to AS81935 (formerly MIL-B-81935)
- Self-lubricating • Metal-to-Metal
- Loader slots • High temperature
- Low coefficient of friction
- Special configurations and materials



Track Rollers

- MS approved to AS39901 (formerly MIL-B-3990)
- ATF single row and ATL double row
- Sealed with lube holes and grooves
- Heavy duty cross sections
- Advanced AeroCres® materials available
- Lined track rollers available



Cam Followers

- MS approved to AS39901 (formerly MIL-B-3990)
- Advanced AeroCres® materials available
- Maximum corrosion resistance
- Superior lubricants & seals to reduce maintenance



Load Slot Bearings

- Spherical and rod end designs
- Superior ball-to-race conformity
- Reduced maintenance cost
- Variety of race materials available



Specials

- Many specialty bearings, custom-designed and configured for diverse aerospace applications
- Capability for advanced aerospace specialty corrosion resistant and high temperature materials



Control Rods

- Swaging up to 14' length and 4" dia
- Nadcap and customer special process approvals including NDT
- Surface treatments, CNC Machining, Flash Welding, Aluminum Heat Treat
- Design and build to print



Ducting Solutions

- Solutions for pneumatic ducting
- Patented couplings
- Temperatures 450° to 1,500°F
- Engines, Aircraft, APUs



Machined Components

- Exotic materials • 3, 3.5, 4 and 5 Axis
- Horizontal and Vertical Milling
- Lathes, Hot Head, Gearing, Heat Treat, Special Processes